

## **PRIMECOAT SERIES 77 METALLIC**

thermosetting powder coating for outdoor use polyester

# **SAFETY DATA SHEET**

according to Regulation (EC) No 453/2010 (REACH)

Version 1 Issue date: 20.06.2018

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name Primecoat Series 77

Product description Paint

Product type Epoxy powder coating

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Coating agent

# 1.3. Details of the supplier of the safety data sheet

Primatek Coatings OÜ

phone +372 655 1010

Kadastiku 29A, 21004 Narva, Estonia

Regional Representative Primatek Coatings Finland Oy

phone +358 975 101 101

Teknobulevardi 3-5, 01530 Vantaa, Finland

Dept. responsible for information info@primatek.eu
Emergency telephone number +372 655 1010

#### **Section 2: Hazards identification**

Classification according to EC regulation 1272/2008 (CLP)

## 2.1. Classification of the substance or mixture

Product definition: Mixture. Not classified as dangerous according to 1272/2008.

#### 2.2. Label elements

Signal word: "Warning" sign on the box

Hazard statements: No known significant effects or critical hazards

Precautionary statements

General Not applicable

Prevention P261 – Avoid breathing dust

Response Not applicable

Storage P.7.1 Disposal P.13

Supplemental label elements For professional use only. May produce an allergic reaction.

#### 2.3. Other hazards

Other hazards which do not result in classification

None known.

#### Section 3: Composition/information on ingredients

# 1.1. Product identifier

Substance/mixture Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as ha-zardous to health or the environ-ment and hence require reporting in this section. Multicomponent disperse systems of solid particles - polyester film-forming base with pigment, filler and targeted additives.

Occupational exposure limits, if available, are listed in Section 8.

#### **Section 4: First aid measures**

#### 4.1. Description of first aid measures

General information First aider: pay attention to self-protection! In case of any accident move the victim

out of danger zone. Do not leave affected person unattended.

Seek medical attention if necessary.

In case of inhalation: In case of accident by inhalation: remove casualty to fresh air, take the dirty clothes

off and keep at rest. If you feel unwell, seek medical advice.

In case of skin contact

Thoroughly wash skin with soap and water. Do not use solvents or thinners.

Remove contaminated clothing.

After eye contact If product gets into the eye, keep eyelid open and rinse immediately with large

quantities of water, for at least 10 minutes. Remove contact lenses, if any. In case of troubles or persistent symptoms, consult an opthalmologist.

After swallowing Have victim repeatedly drink large amounts of water with activated charcoal.

Do not induce vomiting. No adminis-tration in cases of unconsiousness or cramps.

Rinse mouth immediately and drink plenty of water.

Observe risk of aspiration if vomiting occurs. Get medical ad-vice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. Symptoms

## **Section 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media

Extinguishing media which must not be

used for safety reasons

Additional information

In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Strong water jet and carbon dioxide gases under presussure.

# 5.2. Special hazards arising from the substance or mixture

Special protective equipment for firefighters Exposure to fire produces thick, black smoke that is hazardous to health.

Do not breathe smoke.

Wear self-contained breathing apparatus.

## 5.3. Advice for firefighters

Special exposure hazards arising from the substance

itself, combustion products, resulting gases

Do not allow fire water to penetrate into surface or ground water.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. For non-emergency personnel

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from

en-tering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders If specialized clothing is required to deal with the spil-lage, take note of any

> information in Section 8 on suita-ble and unsuitable materials. See also the information in "For non-emergency personnel".

# 6.2. Environmental precautions

Environmental precautions Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains

and sewers. Inform the re-levant authorities if the product has caused environmen-

tal pollution (sewers, waterways, soil or air).

# 6.3. Methods and material for containment and cleaning up

Small spill Move containers from spill area. Vacuum or sweep up material and place in a designated,

labelled waste container. Dispose of via a licensed waste disposal contractor.

Large spill Move containers from spill area. Prevent entry into sewers, water courses, basements

or confined areas. Vacuum or sweep up material and place in a designated, labelled

waste container. Dispose of via a licensed waste disposal contractor.

## 6.4. Reference to other sections

Reference to other sections See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment informa-tion.

#### **Section 7: Handling and storage**

The information in this section contains generic advice and guidance.

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 7.1. Precautions for safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Respiratory protection is needed.

Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources.

Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.

Operators should wear antistatic footwear and clothing and floors should be of the conducting type.

Keep away from heat, sparks and flame.

Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this mixture. Avoid inhalation of dust from sanding.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Put on appropriate personal protective equipment (see Section 8).

Always keep in containers made from the same material as the original one.

Comply with the health and safety at work laws.

Do not allow to enter drains or watercourses.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

#### Additional information on storage conditions

Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight.

Keep container tightly closed.

Keep away from sources of ignition. No smoking. Prevent unauthorised access.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

See Technical Data Sheet / packaging for further information.

## 7.3 Specific end use(s)

Recommendations Not available.

Industrial sector specific solutions Not available.

#### Section 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 8.1. Exposure controls

Exposure controls Provide good ventilation and/or an exhaust system in the work area. Occupational

exposure limit values: A: respirable fraction <= 1.25 mg/m<sup>3</sup>

and <= 10 mg/m3 E: inhalable fraction

Respiratory protection Wear a dust mask, in case of excessive dust. Respiratory protection must be worn

whenever the WEL levels have been exceeded.

Hand protection Wear suitable gloves. Suitable gloves type: Disposable gloves natural latex or

Nitrile rubber Category 3 according to DIN EN 374 and DIN EN 420. Observe glove manufacturer's instructions concerning penetrability and breakthrough time. In case of prolonged or frequently repeated skin contact: Protect skin by using skin

protective cream.

Eye protection In case of dust formation: tightly sealed goggles according to EN 166.

Body protection Wear suitable protective clothing. Avoid contact of neck and wrists with the powder

because of possible skin irritations and dermatitis. Wash thouroughly after contact with skin areas.

General protection and hygiene measures When using do not eat, drink or smoke.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state Solid. Powder Colour Various Odour Slight odour Odour threshold Not applicable рН Not applicable 85-115 °C Melting point (dust) Initial boiling point and boiling range Not applicable Flash point Not applicable Evaporation rate Not applicable

Flammability (solid, gas) Fine dust clouds may form explosive mixtures with air

Lower explosion limit (dust)20 g/m³ (EN 14034-3)Minimum ignition energy (mJ)10–30 (EN 13821)Vapour pressureNot applicableVapour densityNot applicable

Relative density 1.2 to 1.7 g/cm³ (ISO 8130-2/-3)

Solubility (ies) Insoluble in the following materials: cold water and hot water

Partition coefficient: n-octanol / water Not applicable
Auto-ignition temperature for dust-air mixture >450°C
Decomposition temperature >230°C
Viscosity Not applicable.

#### 9.2. Other information

No additional information.

## **SECTION 10: Stability and reactivity**

10.1. Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2. Chemical stability The product is stable.

10.3. Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid No specific data.10.5. Incompatible materials Not applicable.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Coating powders can cause localised skin irritation in folds of the skin or under tight clothing.

#### **Acute toxicity estimates**

Not available.

## Specific target organ toxicity (single exposure)

Not available.

# Specific target organ toxicity (repeated exposure)

Not available.

# **Aspiration hazard**

Not available.

#### Potential acute health effects:

Eye contact

No known significant effects or critical hazards

No known significant effects or critical hazards

Skin contact

No known significant effects or critical hazards

No known significant effects or critical hazards

No known significant effects or critical hazards

# Symptoms related to the physical, chemical and toxicological characteristics

Eye contactNo specific dataInhalationNo specific dataSkin contactNo specific dataIngestionNo specific data

## **Potential chronic health effects**

General No known significant effects or critical hazards
Carcinogenicity No known significant effects or critical hazards
Mutagenicity No known significant effects or critical hazards
Teratogenicity No known significant effects or critical hazards
Developmental effects
No known significant effects or critical hazards
Fertility effects
No known significant effects or critical hazards

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Conclusion/Summary

# 12.2. Persistence and degradability

Conclusion/Summary Not available

## 12.3. Bioaccumulative potential

Bioaccumulative potential Not available

# 12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

PBT Not applicable vPvB Not applicable

#### 12.6 Other adverse effects

#### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1. Waste treatment methods

Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC. If this product is mixed with other wastes, this code may no longer apply. If mixed with other wastes, the appropriate code should be assigned. For further information, contact your local waste authority.

# **SECTION 14: Transport information**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1. Waste treatment methods

Transport within user's premises: always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an acci-dent or spillage.

This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

**14.1. UN number** Not regulated

**14.2. UN** proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

**14.5. Environmental hazards** No

**14.6. Special precautions for user** Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to

do in the event of an accident or spillage.

Additional information

ADR / RID

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not available

IMDG Code Segregation group

Not available.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Substances of very high concern:

None of the components are listed.

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not applicable

Other EU regulations

Europe inventory Not determined

Black List Chemicals Not listed

# Industrial emissions (integrated pollution prevention and control)

Not listed

Air

Industrial emissions (integrated pollution prevention and control)

Not listed

Water

**Chemical Weapons** 

Not listed

Not listed

**Convention List Schedule I** 

**Chemicals** 

**Chemical Weapons** 

Not listed

**Convention List Schedule II** 

**Chemicals** 

**Chemical Weapons** 

Not listed

**Convention List Schedule III** 

**Chemicals** 

15.2 Chemical safety assessment

Not applicable.

#### **SECTION 16: Other information**

## **Hazard statements (CLP)**

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H373 May cause damage to organs (or state all or-gans affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven

that no other routes of exposure cause the hazard).

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## **Further information**

The information in this data sheet has been estab-lished to our best knowledge

and was up-to-date at time of revision.

## Literature

For abbreviations and acronyms, see: ECHA Guid-ance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbrev-iations).

## Reason of change

Data changed compared with the previous version.

## Address:

Primatek Coatings OÜ Kadastiku 29A 21004 Narva, Estonia

#### Contact:

Phone +372 655 1010 primatek-coatings.com e-mail info@primatek.eu

## Bank details:

Swedbank AS: EE87 2200 2210 5686 9100